



## TECHNICAL DATA

<b>Power</b>	27 - 55 W
<b>Operating voltage</b>	230 V AC / 50 Hz
<b>Type of luminaire</b>	Surface mounted luminaire / Phase track
<b>LED Type</b>	SMD
<b>Control</b>	Bluetooth
<b>Luminous flux class</b>	4.000 - 9.000 lm
<b>Light efficiency</b>	up to 151 lm/W
<b>Colour consistency</b>	3 SDCM
<b>Lifetime</b>	L80 B10 50.000 h @ 25°C
<b>Housing</b>	Stahlblech powder coated
<b>Cooling</b>	Passiv cooling
<b>Rotation / swing angle</b>	350° / 10°
<b>Weight</b>	Standard: 1,9 kg Bluetooth: 2,1 kg
<b>Warranty</b>	5 Years






 Further information on the control gear can be found in the installation instructions belonging to this product.


## TYPES



## BEAM ANGLE



## DIMENSIONS (mm)



## LIGHTMANAGEMENT



This product is controllable by **eyeconex** LIGHTMANAGEMENT

App download:



## ACCESSORIES Item-Nr.: 9000820

The SWITCH - smart operation for your lighting concept.



### FUNCTIONS

- light / dark dimming
- adjust white light (warm / cold)
- on/ off

### INSTALLATION

- per magnet
- per adhesive device
- per screws and dowels




## ARTICLEOVERVIEW

Product	Power	Light colour	CRI	Luminous flux	Beam angle	Housing-colour	Item number Bluetooth
TP1-BT	55 W	3.000 K	80	7.700 lm	Sym	Black	8101699
TP1-BT	55 W	4.000 K	80	8.300 lm	Sym	Black	8101700
TP1-BT	55 W	3.000 K	80	7.700 lm	Sym	White	8101701
TP1-BT	55 W	4.000 K	80	8.300 lm	Sym	White	8101702
TP1-BT	55 W	3.000 K	80	7.500 lm	Wide	Black	8101703
TP1-BT	55 W	4.000 K	80	8.000 lm	Wide	Black	8101704
TP1-BT	55 W	3.000 K	80	7.500 lm	Wide	White	8101705
TP1-BT	55 W	4.000 K	80	8.000 lm	Wide	White	8101706
TP1-BT	27 W	3.000 K	80	4.000 lm	Asym	Black	8101707
TP1-BT	27 W	4.000 K	80	4.200 lm	Asym	Black	8101708
TP1-BT	27 W	3.000 K	80	4.000 lm	Asym	White	8101709
TP1-BT	27 W	4.000 K	80	4.200 lm	Asym	White	8101710
TP1-BT	55 W	3.000 K	90	6.600 lm	Sym	Black	8101711
TP1-BT	55 W	4.000 K	90	7.100 lm	Sym	Black	8101712
TP1-BT	55 W	3.000 K	90	6.600 lm	Sym	White	8101713
TP1-BT	55 W	4.000 K	90	7.100 lm	Sym	White	8101714
TP1-BT	55 W	3.000 K	90	6.400 lm	Wide	Black	8101715
TP1-BT	55 W	4.000 K	90	6.900 lm	Wide	Black	8101716

TP1-BT	55 W	3.000 K	90	6.400 lm	Wide	White	8101717
TP1-BT	55 W	4.000 K	90	6.900 lm	Wide	White	8101718
TP1-BT	27 W	3.000 K	90	3.400 lm	Asym	Black	8101719
TP1-BT	27 W	4.000 K	90	3.600 lm	Asym	Black	8101720
TP1-BT	27 W	3.000 K	90	3.400 lm	Asym	White	8101721
TP1-BT	27 W	4.000 K	90	3.600 lm	Asym	White	8101722


## ASYMMETRICAL

---




## SYMMETRICAL

---



## WIDE

---



## IMPORTANT NOTES

All technical parameters apply to the entire product. Due to the complex manufacturing process of light emitting diodes, the specified typical LED parameters are only purely statistical values and may deviate.

The specified type of use must be strictly adhered to. Deviations may affect the stability of the fixture. Please observe the information in the mounting instructions before using the products.

The specified type of use must be observed. Deviations may affect the stability of the fastening. Before using the products, please observe the notes in the installation instructions.

<b>Mercury content</b>	0,0 mg
<b>Mercury-free</b>	yes
<b>Professional disposal according to WEEE</b>	yes

## NOTES TO THE LIFE TIME

Decisive factors for the life time are the ambient temperature and the operating temperature (Tc). Exceeding the permissible limits results in a substantial reduction of the life time and can even lead to the destruction of the products. The specified life time represents a statistical quantity.

## NOTES TO ELECTRICAL AND PHOTOMETRIC DATA

Colour coordinates according to CIE 1931

Rated ambient temperature:  $t_a = 25^\circ$

Measuring tolerance colour coordinates (x/y) +/- 0,005

Tolerance range of electrical / photometric data: +/- 10%

## DISCLAIMER

Changes and errors excepted. Due to the continuous development of all products, technical and design changes can occur at any time. Make sure that you always use the latest version of the data sheet.

## WARRANTY NOTES

Please refer to our warranty conditions on:

<https://www.ledxon.de/en/guarantee/>

**Further product data as well as current information can be found at [www.ledxon.com](http://www.ledxon.com)**